

Sending a Referral to Infusion Associates

Follow the steps below to send a referral to Infusion Associates:

- 1. Download the desired order form from our website (www.infusionassociates.com/meds).
- 2. Fill out all fillable fields on the digital version **OR** print and fill form out manually.
- 3. Fax completed order form with all required documentation listed below to (833) 996-4888 or (616) 954-1675.

Required Documentation Checklist

d а

How to Use Our Digital Order Forms

- 1. Upon downloading the desired form, you will see light blue text box, check box, and circle box fields appear. To fill out the form on your computer, click into these fields to type out the necessary patient, office, clinical history, and therapy administration information. You can copy/paste information from the patient's medical record into this form.
- There is a section at the bottom of each fillable form that allows "Additional Notes from Referring Office" to be added. If you are not finding a field to enter information you need to send over, please put it here.
- 3. Gather the referring provider's signature to approve the order once you have filled out all fields and send to Infusion Associates via fax.

Briumvi (ublituximab-xiiy)

Order Form Rev. 6/7/2023

Infusion

ASSOCIATES

Phone: (833) 394-0600

Fax: (833) 996-4888

PATIENT INFORMATION	Referral Status	Referral Status: O New Referral O Updated Order Order Renewal		
Date: Patient	Name:	DOB:		
Allergies:		Weight (kg):	Height (cm):	
ICD-10 Code(s) & Description	on (required):			
☐ (required) The patient's domain The patient has an existing PRESCRIBING OFFICE	•			
Contact Name: Contact Phone Number:				
Ordering Provider: Provider N		ovider NPI:		
Practice Name:		none:	Fax:	
CLINICAL HISTORY				
In the past year, what medic	cations for the above diagno	sis has the patient tried an	d failed?	
Drug & Dose	Dates of Use	Drug & Dose	Dates of Use	
□ N/A, rationale: □ Infusion Associate PRE-MEDICATION ORDER	es to perform urine pregnand	cy test at EVERY infusion a	appointment	
 ○ Diphenhydramine ○ PO o ○ Acetaminophen PO ○ Hydrocortisone IV Push _ LAB ORDERS	mg	OR O Methylprednisolor	Cetirizine 10 mg PO ne IV Push mg	
Collect: BMP CBC v Frequency: EVERY infus THERAPY ADMINISTRATION CBC v	sion OEvery OTHER infu			
Briumvi (ublituximab-xiiy) Dose: o Initial (3 doses/ye	IV ar) – Day 1: 150mg, Day 15 iing (2 doses/year) – Every IA:RX	24 weeks: 450 mg	·	
Provider Name (Print)	Provider Signa	ture	Date	